



- First, you must have been awarded a contact for hauling contaminated waste. If you
  have not been awarded a contract, your submission will be rendered invalid and not
  processed.
- Second, a Waste Characterization Form must be completed (see below).
- Please download the fillable Waste Characterization Form, and when completed email the form back to <u>ask@ewswa.org</u> with "Waste Characterization Form" in the subject line.

#### **Instructions for Completing this Form:**

- 1. All information requested on this form must be submitted before the review process begins.
- 2. Allow for a minimum of 72 hours after submission for a response
- 3. Essex Windsor Regional Landfill is licensed to receive domestic, commercial, non-hazardous solid industrial and agricultural waste only.
- 4. All waste hauled from the City of Windsor is to be delivered to the Regional Landfill via the designated haul route. (Highway 3 to the Arner Townline, south on the Arner then west on County Rd 18 to the landfill. Must follow same route back to Windsor
- 5. All vehicles hauling waste must be licensed as part of a waste management system certificate or provisional certificate of approval from the Ministry of the Environment, issued pursuant to Section 27 of the Environmental Protection Act.
- 6. All trucks must be equipped with front and rear tow hooks.
- 7. We reserve the right to limit the number of trucks hauling soil into the site subject to weather conditions and landfill operations.
- 8. We cannot accept pups attached to tri-axle trucks as well as dump trailers.
- 9. All trucks hauling contaminated soil to the landfill must adhere to all posted signage and site rules, including any direction given by landfill staff.



# For any additional information, contact Tom Marentette or Hassan Fakih at the telephone number above, or by e-mail at <a href="mailto:ask@ewswa.org">ask@ewswa.org</a>.

In	Instructions for Completing this Form:1			
1)	) Waste Source	3		
2)	) Waste Characterization	3		
	Physical Properties Detailed Explanation	3		
•		,		
3)	) Waste Stream			
	Process generating waste: (detailed description of waste and history of site)	4		
	) Hauler			
	Container:	4		
5)	) Waste Classification			
	Check all that apply:	5		
6)	) Laboratory Testing required by EWSWA	5		
7)	) On Site Handling	5		
8)	) Indicate below type(s) of analytical performed:			
	Regulation 558	6		
	MECP Contaminated Sites Guideline	6		
	In-organics	6		



360 FAIRVIEW AVE. W., SUITE 211 ESSEX, ON N8M 3G4 1-800-563-3377 www.ewswa.org / ask@ewswa.org

Application Date:		
1) Waste Generator (who is sending the material)		
Company Name:		
Address:		
Prepared By:		
Date:		
Contact Name:		
E-Mail Address		
Telephone Number:		
Engineering Consultant:		
2) Waste Characterization		
Common Name:		
Technical Name:		
Physical Properties	Detailed Explanation	
Ash		□ Yes □ No
Dust		□ Yes □ No
Colour		□ Yes □ No
Odour		□ Yes □ No
State		□ Yes □ No
Reactive		□ Yes □ No
Ignitable		□ Yes □ No
Corrosive		□ Yes □ No
Other		⊓ Yes ⊓ No




360 FAIRVIEW AVE. W., SUITE 211 ESSEX, ON N8M 3G4 1-800-563-3377 www.ewswa.org / ask@ewswa.org

3) Waste Stream				
Process generating waste: (detailed description of waste and history of site)				
I,, to the best of my knowledge, declare that the				
waste stream is not derived from Schedule 1 processes, or contains Schedule 2 chemicals as				
per MECP Regulation 558.				
4) Hauler				
Company Name:				
Address:				
MECP License #:				
Contact Name:				
Telephone Number:				
E-Mail Address:				
Estimated Volume of Waste:				
Container:				
□Tandem □Tri Axle □Roll Off □Other Explain:				
Anticipated Delivery Date:				
Anticipated Delivery Schedule (how many trucks per day):				



360 FAIRVIEW AVE. W., SUITE 211 ESSEX, ON N8M 3G4 1-800-563-3377 www.ewswa.org / ask@ewswa.org

5) Waste Classification					
Check all that apply:					
Residential	□ Yes □ No				
Contaminated Soil	□ Yes □ No				
ICI	□ Yes □ No				
Other (describe)					
Process and/or materials have changed since last review	□ Yes □ No				
If YES, explain:					
Is MSDS available?	□ Yes □ No				
If YES, explain:					
6) Laboratory Testing required by EWSWA  Date of analysis:					
Ignitable	□ Yes □ No				
Reactivity	□ Yes □ No				
MECP contaminated sites guideline	□ Yes □ No				
Ph value	□ Yes □ No				
558 TCLP (1 sample per 500m³ – include VOC's, PAH's, Metals/Organics)	□ Yes □ No				
Corrosive	□ Yes □ No				
Other (specify)					
Excavation Site Map (identify where material is coming from)	□ Yes □ No				
7) On Site Handling					
7) On Site Handling  Does load require special waste handling procedures:	□ Yes □ No				





## 8) Indicate below type(s) of analytical performed:

## **Regulation 558**

□ Yes □ No
□ Yes □ No
□ Yes □ No

#### **MECP Contaminated Sites Guideline**

### **In-organics**

Wetals	⊔ Yes ⊔ No
Non-Metals	□ Yes □ No
Pesticides	□ Yes □ No
PCB's	□ Yes □ No
Volatile Organics (Btex, Solvents)	□ Yes □ No
Benzene Only	□ Yes □ No
Hydrocarbons	□ Yes □ No
Semi Volatiles – PAH's	□ Yes □ No
Base Neutral	□ Yes □ No
Extractables	□ Yes □ No
Acid Extractables	□ Yes □ No
Dioxins & Furans	□ Yes □ No
Other	
·	· · · · · · · · · · · · · · · · · · ·