

www.compost.org

SUMMARY OF ANALYSIS REPORT

To: Essex-Windsor SWA CQA Member#: 07-1200

360 Fairview Ave West Essex, Ontario N8M 3G4

Attention: Sample I.D.: ROW "D-22"

Report#: C23172-10063 **Sample Date:** 2023-06-20

C23172-70002 Reported Date: 2023-06-29

Compost Manufactured in: Ontario

Feedstock: Leaf & Yard Residues

CQA COMPOST QUALITY & VALUE TESTING PARAMETERS REPORT

SAMPLE ID	RECOMMENDED END USE/MARKET
ROW "D-22"	CATEGORY AA
Regulatory	See Appendix I
Product Quality	See Appendix II
Product Value/ Soil	See Appendix III
Suitability*	(Soil, Enviro, Manure Compost)

The Compost Quality Alliance (CQA) is a voluntary quality monitoring program established by the Compost Council of Canada and the compost producers utilizing recognized standardized testing methodologies and uniform operating protocols to provide customer assurance in compost selection its use, and proper end-use utilization.

All analysis of this compost product was conducted and provided by A&L Canada Laboratories Inc. for the Compost Quality Alliance (CQA).

Haifeng Song, Senior Chemist

lan McLachlin, Vice-President

A proud member of



A&L Canada Laboratories Inc. London, Ontario Canada (519) 457-2575

Compost
Compost
Compost
Council of Canada
Proud to be a member

*PLEASE NOTE: Major Nutrients under the Fertilizer Act and Regulations (CFIA)

Please see Appendix III for nutrient content (of impact to claims and labelling if used in declarations).

Compost is classified in Schedule II as a supplement, and as such nutrient guarantees are not mandatory. However, if any claims are made regarding nutritional value of the product, such as for composted manure, the product would then be classified as a supplement and a fertilizer, and the label would have to include the guarantees for the major nutrients. The guarantees for the major nutrients include the minimum amounts of Total Nitrogen (N), Available Phosphoric Acid (P205) and Soluble Potash K20. Source: T-4-120 - Regulation of Compost under the Fertilizers Act and Regulations. http://www.inspection.gc.ca/plants/fertilizers/trade-memoranda/t-4-120/eng/1307910204607/1307910352783



Appendix I Ontario Compost Guidelines 2012 & CFIA Fertilizer Act & Regulations



A. Maximum Concentrations for Trace Metals in Compost - Ontario

		Category AA	Category A	Category B		
Trace Elements	Test Results	Maximum C	Concentration wit	thin Product		
	(ug/g)	(mg/kg dry weight)				
Arsenic (As)	1.85	13	13	75		
Cadmium (Cd)	BDL	3	3	20		
Chromium (Cr)	7.44	210	210	1060		
Cobalt (Co)	4.58	34	34	150		
Copper (Cu)	7.18	100	400	760		
Lead (Pb)	9.62	150	150	500		
Mercury (Hg)	BDL	0.8	0.8	5		
Molybdenum (Mo)	BDL	5	5	20		
Nickel (Ni)	3.78	62	62	180		
Selenium (Se)	BDL	2	2	14		
Zinc (Zn)	37.59	500	700	1850		

B. Foreign Matter in Compost - Ontario+

	Test Results	Category AA	Category A	Category B	
Foreign Matter		Contains < 1% I	M greater than	Operation of OO/ FM supertor	
Percent (%) FM > 3mm/500mL BDL		3mm and 0.5%		Contains < 2% FM greater than 3mm and 0.5% plastic.	
Percent (%) Plastics > 3mm/500mL	BDL	not contain any FM greater than		No FM > 25mm/500mL	
Pieces 25mm/500mL	0.00	25mm/	500mL		
Sharp Foreign Matter		No sharp matter that can cause human or animal injury		No more than 3 pieces of	
Pieces > 3mm/500mL	0.00				
Pieces > 12.5mm/500mL	0.00	naman or a	illinai injury	12.5mm/500mL	

C. Maturity/Stability - Ontario+

Method	Test Results	Required Limits			
CO2 Respiration Rate	BDL	≤ 4 mg of carbon in the form of carbon dioxide per gr			
(mg CO2/g O.M./day)	BDL	of organic matter per day			
02 Uptake Respiration Rate		≤ 400 mg oxygen/kg of volatile solids (or organic			
(mg 02/kg 0.M./hr)		matter)/hour			

D. Pathogens - Ontario+

Pathogen	Test Results	Required Limits
E. coli (MPN/g dry)	<3	<1000 MPN/g total solids calculated on a dry weight basis
Salmonella (P-A/25g(ml))	NEGATIVE	<3 MPN/4g total solids calculated on a dry weight basis

tThe following references are from the Ontario Compost Quality Standards Guidelines July 2012

*BDL = Below Detectable Limits

E. CFIA - Ontario

Parameter	Test Results
Total Organic Matter (%)	51.42%
Moisture (%)	24.19%

Appendix II

Finished Compost Quality

Parameter	Test Results
рН	8.2
Carbon to Nitrogen Ratio	13:1
Particle Size/Texture (inch)+	1/4
Soluble Salts (ms/cm)	3.5
Sodium Base Saturation (%Na)	2.52%
Major Nutrients	
Available Potassium (%K)	21.13%
Available Magnesium (%Mg)	26.27%
Available Calcium (%Ca)	50.07%

⁺ Majority of sample passes through this sieve size

Unrestricted Use: Category AA and Category A - Compost that can be used in any application, such as agricultural lands, residential gardens, horticultural operations, the nursery industry, and other businesses. Category A criteria for trace elements are achievable using best source separated MSW feedstock, municipal biosolids, pulp and paper mill biosolids, or manure.

Restricted Use: Category B - Compost that has a restricted use because of the presence of sharp foreign matter or higher trace element content. Category B compost may require additional control when deemed necessary by a province or territory.

Reference Compost Quality Parameters for CQA

Use	pН	C:N	Moisture	Particle Size	Soluble Salts	%Na
Remediation	5.8-8.5	10-40	NA	<2 in	<20	<3%
Soil Amendment	5.8-8.5	10-30	NA	<1/2 in	<6	<2%
Landscaping	5.8-8.5	12-22	<50%	<1/2 in	<5	<2%
Planting Media	5.5-7.8	12-22	<50%	<1/2 in	<4	<2%
Turf Establishment & Topdressing	5.5-7.8	12-22	<50%	<3/8 in	<3	<1%
Greenhouse Seeding	6-7	12-22	<25%	<1/4 in	<2	<0.5%
Greenhouse Establishement	6-7	12-22	<30%	<1/2 in	2-3.5	<0.5%
Field Nursery	5.8-8	10-30	<50%	<1/2 in	<3.5	<1%
Agricultural Soil Amendments	6-8	10-30	<50%	<1/2 in	<20	n/a
Potting Soil	5.5-7.2	12-22	<50%	<1/4 in	<2	<1%

The Compost Quality Assurance program goes beyond the provincial requirements to establish full value and appropriate end-use. The Compost Report and Compost End-use table in Appendix II, has 10 different compost application uses from soil remediation, through to potting soil blends. Of note are available soluble salt limits and the percent available sodium for sensitive plants. Appendix III, lists the primary agricultural use parameters and quantitative nutrient content that reflects this compost samples agricultural end-use, and application value. This value includes macro and micro nutrients, soil building properties such as the addition of organic matter, increasing moisture holding capacity, and the soils slow release nutrients. These parameters improve beneficial

Note: For a compost to meet the unrestricted use category, it must meet the unrestricted (Category A) requirements for all trace elements and sharp foreign matter.

If the compost fails one criterion of the guideline for unrestricted use but meets the criteria for restricted (Category B) use, then is is classified as a Category B product. Products that do not meet the criteria for either Category A or B must be used or disposed of appropriately.



Appendix III Compost Agricultural Product Value

as is basis



Agricultural End-Use	Analysis Result	Unit Quantity in lbs/T						
	Physical Parameter	S						
Dry Matter	75.81%	%						
рН	8.2							
Bulk Density	481	kg/m3						
C:N Ratio	13:1							
Fertilizer Equivalent Minerals								
Nitrogen Total	1.73%	%	34.6					
Ammonium Nitrogen	419.12	ppm	0.84					
Total Phosphate (P as P205)	0.12%	%	2.4					
Total Potash (K as K20)	0.08%	%	1.6					
Calcium	0.14%	%	2.8					
Magnesium	0.14%	%	2.8					
Sulfur	123.03	ppm	0.2					
	Agricultural Index							
Ag Index	13.14	Can be used on all soils						

Salt injury probable		soils with ex nd low salt c		ainage	Can be use	d on soils wi high salt co		nage or	Can be used on all soils
1	2	3	4	5	6	7	8	9	>10

Figure 1. Adapted from TMECC 05.02-F1 AgIndex interpretation and use guidelines for common edaphic conditions.

Where 10 is a compost material with low potential for salt injury and 1 materials require dilution to prevent salt injury

The results of our testing on this sample indicates that this product is a fine textured, compost (88%+ 1/4 in.), with rich mineral properties, which would meet criteria for agricultural soil amendment, blending and topdressing end-uses purposes. The C:N ratio 13:1 from Appendix II, on the soil suitability report indicates a low C:N ratio and indicating good nitrogen availability. The low C:N ratio in conjunction with the higher total nitrogen content listed in Appendix III indicates early high available nitrogen levels, and should be considered for crop planning.

The proportion of available sodium (2.52% Na), which if used in too heavy a proportion could cause some problems with sensitive species. The sodium levels of this compost sample though high, is suitable for agricultural broadcast field applications and are made to improve the organic matter level and major nutrients phosphorus, potassium and magnesium levels. The compost is also rich in available calcium, sulfur, and zinc, which make it ideal for soil enriching, and amendment. We recommend blending this material at a minimum of 2-3 parts soil blended to each part of this compost to dilute the sodium conentration.

Major Nutrients - Compost is classified in Schedule II (CFIA Fertilizer Act & Regulations) as a supplement, and as such, nutrient guarantees are not mandatory. However, if any claims are made regarding nutritional value of the product, such as for composted manure, the product would then be classified as a supplement and a fertilizer, and label would have to include the guarantees for the major nutrients. The guarantees for the major nutrients include the minimum amounts of Total Nitrogen (N), Available Phosphoric Acid (P2O5) and Soluble Potash (K2O).

Report Number: C23172-10063

A & L Canada Laboratories Inc.

Magnesium

Potassium



Account Number: 98043

2136 Jetstream Road, London, Ontario, N5V 3P5 Telephone: (519) 457-2575 Fax: (519) 457-2664

To: ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST

SUITE 211

ESSEX, ON N8M 3G4

519-776-6370

For: ROW "D-22"

Lime

Reported Date:

Sample

Printed Date: Jun 29, 2023

Lab

pН

COMPOST REPORT

Available

Phosphorus

<u> </u>	ag	<u>je:</u>	1	/

Calcium

Number	Number	рН	Index		Organic Matter %	P ppm	K ppr	n	Mg ppm	Ca ppm
ROW "D-22"	38607	8.2	6.9		32.9	488	3237	7	1255	3934
Sulfur	Zinc	Manganese	Iron	Copper	Boron	Sodium	Nitrate-N	Soluble	Nitrogen	Chloride
S ppm	Zn ppm	Mn ppm	Fe ppm	Cu ppm	B ppm	Na ppm	NO3-N ppm	Salt ms/cm	(Total) (%)	ppm
117	21.4	39	200	1.0	3.2	228	7	3.6	1.73	1244

INTERPRETATION

CEC Percent Base			se Saturation	ation Proportional Equivalents (meq) Cation Ra				n Ratio	C/N Ratio			
meq/100g	% BS	% K	% Mg	% Ca	% Na	K	Mg	Ca	Na	Mg/K	Ca/Mg	
39.3	100.0	21.13	26.27	50.07	2.52	8.30	10.32	19.67	0.99	1:1	2:1	13:1
Optimum	Range:	3 - 5	8 - 20	60 - 80		0.5 - 1.3				7:1	5:1	

CQA

The results of this report relate to the sample submitted and analyzed. All results are released based on acceptable QC data.

* Crop yield is influenced by a number of factors in addition to soil fertility.

No guarantee or warranty concerning crop performance is made by A & L.

Results Authorized By:



Beth Wood, Agronomist

^{*} Results reported on a dry weight basis.

A & L Canada Laboratories Inc.

 REPORT NUMBER:
 C23172-10063
 2136 Jetstream Rd, London, Ontario, N5V 3P5

 ACCOUNT NUMBER:
 98043
 Telephone: (519) 457-2575 Fax: (519) 457-2664



REPORT OF ANALYSIS

TO: ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST

SUITE 211

ESSEX, ON N8M 3G4

RE: ROW "D-22"

CQA2300259

DATE RECEIVED: 2023-06-21

DATE REPORTED: 2023-06-29

PAGE: 1 / 1

LAB NO.	SAMPLE ID	ANALYSIS	RESULT	UNIT	METHOD
38607	ROW "D-22"	Nitrogen (Total)	1.7	%	TMECC.04.02-D



Results Authorized By:

Blood

REPORT NO. C23172-70002

A & L Canada Laboratories Inc.

ACCOUNT NUMBER 98043

2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO: ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST SUITE 211 ESSEX, ON N8M 3G4

FOR: ROW D-22

Phone:800-563-3377 Fax:519-776-6370

CERTIFICATE OF ANALYSIS

1 / 3 PAGE:

PROJECT NO:

PO#: **LAB NUMBER:**1727003 **SAMPLE ID:**ROW D-22

SAMPLE MATRIX:COMPOST **DATE SAMPLED:**2023-06-20 **DATE RECEIVED:**2023-06-21 DATE REPORTED:

DATE PRINTED:2023-06-29

PARAMETER	Result	UNIT	DETECTIO LIMIT	N METHOD REFERENCE
Arsenic	1.85	ug/g	1.00	EPA 3050B/6010B(mod) *
Cadmium	BDL	ug/g	1.00	EPA 3050B/6010B(mod) *
Cobalt	4.58	ug/g	1.00	TMECC 4.06;EPA 3050/6010(mod)*
Chromium	7.44	ug/g	1.00	TMECC.04.06;EPA 3050/6010(mod*
Copper	7.18	ug/g	1.00	TMECC 4.06;EPA 3050/6010(mod)*
Mercury	BDL	ug/g	0.10	EPA 7471 *
Molybdenum	BDL	ug/g	1.0	TMECC.04.06;EPA 3050/6010(mod*
Nickel	3.78	ug/g	1.00	TMECC 4.06;EPA 3050/6010(mod)*
Lead	9.62	ug/g	1.00	EPA 3050B/6010B(mod) *
Selenium	BDL	ug/g	1.00	EPA 3050/6010 (mod) *
Zinc	37.59	ug/g	1.00	TMECC 4.06;EPA 3050/6010(mod)*

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed. All results are released based on acceptable QC data.

Results Authorized By:

C23172-70002

Haifeng Song, Ph.D., C.Chem. Lab Director

^{* -} accredited test

REPORT NO. C23172-70002

A & L Canada Laboratories Inc.

ACCOUNT NUMBER 98043 2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO:ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST SUITE 211 ESSEX, ON N8M 3G4 FOR:ROW D-22

Phone:800-563-3377 Fax:519-776-6370

CERTIFICATE OF ANALYSIS

PAGE: 2 / 3

PROJECT NO:

PO#: LAB NUMBER:1727003 SAMPLE ID:ROW D-22 SAMPLE MATRIX:COMPOST DATE SAMPLED:2023-06-20 DATE RECEIVED:2023-06-21 DATE REPORTED:

DATE PRINTED:2023-06-29

PARAMETER	Result	UNIT D	ETECTION LIMIT	METHOD REFERENCE
E. coli	<3	MPN/g dry	3	TMECC 07.01
Salmonella spp.	NEGATIVE	P-A/	1 CFU	MFLP-75 *
		25.0g(ml)		
Total sharps > 2.8 mm*	0	pieces/500ml		TMECC 03.08
Total sharps > 12.5 mm	0	pieces/500ml		TMECC 03.08
Total FM > 2.8 mm*	BDL	%	0.01	TMECC 03.08
Total FM > 25 mm	0	pieces/500ml		TMECC 03.08
Total plastics > 2.8 mm*	BDL	%	0.01	TMECC 03.08
Total Organic Matter @ 550 deg C	51.42	%	0.10	LOI@550C
Moisture	24.19	%	0.10	TMECC.03.09-A
Sieve 2 Inch (% Passing)	100.00	%	0.10	ASTMD422
Sieve 1 Inch (% Passing)	100.00	%	0.10	ASTMD422
Sieve 1/2 Inch (% Passing)	99.40	%	0.10	ASTMD422
Sieve 3/8 Inch (% Passing)	94.20	%	0.01	ASTMD422
Sieve 1/4 Inch (% Passing)	88.20	%	0.10	ASTMD422
Compost Stability Index	8			TMECC.05.08-B
Respiration-mgCO2-C/g OM/day	BDL	mgCO2-C/ gOM/day	0.01	TMECC.05.08-B
Respiration - mgCO2-C/g TS/day	BDL	mgCO2-C/ gTS/day	0.01	TMECC.05.08-B

Maturity Index: 8 - Inactive, highly matured compost, very well aged, possibly over-aged, like soil; no limitations for usage.

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed. All results are released based on acceptable QC data.

Results Authorized By:

C23172-70002

Haifeng Song, Ph.D., C.Chem. Lab Director

^{* -} accredited test

REPORT NO. C23172-70002

A & L Canada Laboratories Inc.

ACCOUNT NUMBER 98043 2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO:ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST SUITE 211 ESSEX, ON N8M 3G4 FOR:ROW D-22

Phone:800-563-3377 Fax:519-776-6370

CERTIFICATE OF ANALYSIS

PAGE: 3 / 3

PROJECT NO:

PO#: LAB NUMBER:1727003 SAMPLE ID:ROW D-22 SAMPLE MATRIX:COMPOST DATE SAMPLED:2023-06-20 DATE RECEIVED:2023-06-21 DATE REPORTED:

DATE PRINTED:2023-06-29

PARAMETER	Result Dry Weight	Result As Received	UNIT	DETECTIO LIMIT	N METHOD REFERENCE
Total Solids (as received)		75.81	%	0.10	Gravimetric
Nitrogen & Carbon					
Total Organic Carbon		28.57	%	0.10	Combustion
Ammonia (NH3/NH4-N)	552.86	419.12	ug/g	.01	Colourimetric
Metals					
Potassium	871.00	660.31	ug/g	5.00	TMECC.04.04*
Total Potassium (as K20)	0.10	0.08	%	0.05	ICP
Phosphorus	701.00	531.43	ug/g	5.00	TMECC.04.03 *
Total Phosphorus (as P205)	0.16	0.12	%	0.05	ICP
Aluminum	7460.00	5655.43	ug/g	5.00	TMECC.04.07 *
Boron	1.95	1.48	ug/g	1.00	TMECC.04.05 *
Calcium	0.19	0.14	%	0.01	TMECC.04.05*
Iron	15100.00	11447.31	ug/g	5.00	TMECC.04.05 *
Magnesium	0.19	0.14	%	0.01	TMECC.04.05 *
Manganese	223.05	169.09	ug/g	1.00	TMECC.04.05 *
Sodium	0.03	0.02	%	0.01	TMECC.04.05 *
Sulphur	162.30	123.04	ug/g	5.00	TMECC.04.05 *
Additional Parameters					
Bulk Density (as Recieved)		481	kg/m3	10	Gravimetric

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed. All results are released based on acceptable QC data.

Results Authorized By:

C23172-70002

Haifeng Song, Ph.D., C.Chem. Lab Director

^{* -} accredited test