

www.compostquality.ca

SUMMARY OF ANALYSIS REPORT

То:	Essex-Windsor SWA 360 Fairview Ave West Essex, Ontario N8M 3G4	CQA Member#:	07-1200
Attention:		Sample I.D.:	ROWT2-B-20
Report#:	C21260-10445 C21260-70004 C21294-70008	Sample Date: Reported Date: Amended Date:	2021-09-16 2021-10-01 #######

Compost Manufactured in:

Feedstock: Leaf & Yard Residues

Ontario

CQA COMPOST QUALITY & VALUE TESTING PARAMETERS REPORT

SAMPLE ID	RECOMMENDED END USE/MARKET
ROWT2-B-20	Category AA
Regulatory	See Appendix I
Product Quality	See Appendix II
Product Value/ Soil	See Appendix III
Suitability*	(Soil, Enviro, Manure Compost)

The Compost Quality Alliance (CQA) is a voluntary quality monitoring program established by the Compost Council of Canada and the compost producers utilizing recognized standardized testing methodologies and uniform operating protocols to provide customer assurance in compost selection its use, and proper end-use utilization.

All analysis of this compost product was conducted and provided by A&L Canada Laboratories Inc. for the Compost Quality Alliance (CQA).

Haifeng Song, Senior Chemist



A&L Canada Laboratories Inc. London, Ontario Canada (519) 457-2575

*PLEASE NOTE: Major Nutrients under the Fertilizer Act and Regulations (CFIA)

Please see Appendix III for nutrient content (of impact to claims and labelling if used in declarations).

Compost is classified in Schedule II as a supplement, and as such nutrient guarantees are not mandatory. However, if any claims are made regarding nutritional value of the product, such as for composted manure, the product would then be classified as a supplement and a fertilizer, and the label would have to include the guarantees for the major nutrients. The guarantees for the major nutrients include the minimum amounts of Total Nitrogen (N), Available Phosphoric Acid (P205) and Soluble Potash K20. Source: T-4-120 - Regulation of Compost under the Fertilizers Act and Regulations. http://www.inspection.gc.ca/plants/fertilizers/trade-memoranda/t-4-120/eng/1307910204607/1307910352783

Ian McLachlin, Vice-President

A proud member of





Appendix I Ontario Compost Guidelines 2012 & CFIA Fertilizer Act & Regulations



A. Maximum Concentrations for Trace Metals in Compost - Ontario+

		Category AA	Category A	Category B		
Trace Elements	Test Results	Maximum Concentration within Product				
	(ug/g)		(mg/kg dry weight)		
Arsenic (As)	1.88	13	13	75		
Cadmium (Cd)	BDL	3	3	20		
Chromium (Cr)	4.60	210	210	1060		
Cobalt (Co)	1.19	34	34	150		
Copper (Cu)	20.17	100 400 760				
Lead (Pb)	20.56	150 150 500				
Mercury (Hg)	BDL	0.8	0.8	5		
Molybdenum (Mo)	2.50	5	5	20		
Nickel (Ni)	6.90	62	62	180		
Selenium (Se)	BDL	2	2	14		
Zinc (Zn)	97.95	500	700	1850		

B. Foreign Matter in Compost - Ontarioł

	Test Results	Category AA	Category A	Category B	
Foreign Matter		Contains < 1% FM greater than		Contains < 2% FM greater	
Percent (%) FM > 3mm/500mL	BDL	3mm and 0.5% plastics. Shall		than 3mm and 0.5%	
Percent (%) Plastics > 3mm/500mL	BDL	not contain any FM greater than			
Pieces 25mm/500mL 0		25mm/500mL		25mm/500mL	
Sharp Foreign Matter		No oborn mottor that can cause		No more than 3 pieces of	
Pieces > 3mm/500mL 0 Pieces > 12.5mm/500mL 0		No sharp matter that can cause human or animal injury		sharp matter no greater	
				than 12.5mm/500mL	

C. Maturity/Stability - Ontario+

Method	Test Results	Required Limits		
CO ₂ Respiration Rate	3.00	\leq 4 mg of carbon in the form of carbon dioxide per		
CO ₂ Respiration Rate	3.00	gram of organic matter per day		
O ₂ Uptake Respiration Rate		\leq 400 mg oxygen/kg of volatile solids (or organic		
O2 Uptake Respiration Rate		matter)/hour		

D. Pathogens - Ontarioł

Pathogen	Test Results	Required Limits
E. coli (MPN/g dry)	13	<1000 MPN/g total solids calculated on a dry weight basis
Salmonella (P-A/25g(ml))	NEGATIVE	<3 MPN/4g total solids calculated on a dry weight basis

The following references are from the Ontario Compost Quality Standards Guidelines July 2012

*BDL = Below Detectable Limits

E. CFIA - Ontario

Parameter	Test Results
Total Organic Matter (%)	52.17%
Moisture (%)	27.18%



Appendix II



Parameter	Test Results
рН	8.1
Carbon to Nitrogen Ratio	18:1
Particle Size/Texture (inch)+	1/4 Inch
Soluble Salts (ms/cm)	1.8
Sodium Base Saturation (%Na)	1.09%
Major Nutrients	
Available Potassium (%K)	21.94%
Available Magnesium (%Mg)	20.19%
Available Calcium (%Ca)	56.77%
Available Calcium (%Ca)	

+ Majority of sample passes through this sieve size

Reference Compost Quality Parameters for CQA

Use	pН	C:N	Moisture	Particle Size	Soluble Salts	%Na
Remediation	5.8-8.5	10-40	NA	<2 in	<20	<3%
Soil Amendment	5.8-8.5	10-30	NA	<1/2 in	<6	<2%
Landscaping	5.8-8.5	12-22	<50%	<1/2 in	<5	<2%
Planting Media	5.5-7.8	12-22	<50%	<1/2 in	<4	<2%
Turf Establishment & Topdressing	5.5-7.8	12-22	<50%	<3/8 in	<3	<1%
Greenhouse Seeding	6-7	12-22	<25%	<1/4 in	<2	<0.5%
Greenhouse Establishement	6-7	12-22	<30%	<1/2 in	2-3.5	<0.5%
Field Nursery	5.8-8	10-30	<50%	<1/2 in	<3.5	<1%
Agricultural Soil Amendments	6-8	10-30	<50%	<1/2 in	<20	none
Potting Soil	5.5-7.2	12-22	<50%	<1/4 in	<2	<1%

Unrestricted Use: Category AA and Category A - Compost that can be used in any application, such as agricultural lands, residential gardens, horticultural operations, the nursery industry, and other businesses. Category A criteria for trace elements are achievable using best source separated MSW feedstock, municipal biosolids, pulp and paper mill biosolids, or manure.

Restricted Use: Category B - Compost that has a restricted use because of the presence of sharp foreign matter or higher trace element content. Category B compost may require additional control when deemed necessary by a province or territory.

Note: For a compost to meet the unrestricted use category, it must meet the unrestricted (Category A) requirements for all trace elements and sharp foreign matter. If the compost fails one criterion of the guideline for unrestricted use but meets the criteria for restricted (Category B) use, then is is classified as a Category B product. Products that do not meet the criteria for either Category A or B must be used or disposed of appropriately.



Appendix III Compost Agricultural Product Value as is basis



Agricultural End-Use	Analysis Result	Unit	Quantity in Ibs/T				
Physical Parameters							
Dry Matter	%						
рН	8.1						
Bulk Density	569	kg/m3					
C:N Ratio	18:1						
	Fertilizer Equivalent Mine	erals					
Nitrogen Total	1.56%	%	31.2				
Ammonium Nitrogen	224.80	ppm	0.45				
Total Phosphate (P as P205)	0.46%	%	9.2				
Total Potash (K as K20)	0.82%	%	16.4				
Calcium	%	60.2					
Magnesium	0.60%	%	12.0				
Sulfur	1253.60	ppm	2.5				

The Compost Quality Assurance program goes beyond the provincial requirements to establish full value and appropriate end-use. The Compost Report and Compost End-use table in Appendix II, has 10 different compost application uses from soil remediation, through to potting soil blends. Of note are available soluble salt limits and the percent available sodium for sensitive plants. Appendix III, lists the primary agricultural use parameters and quantitative nutrient content that reflects this compost samples agricultural end-use, and application value. This value includes macro and micro nutrients, soil building properties such as the addition of organic matter, increasing moisture holding capacity, and the soils slow release nutrients. These parameters improve beneficial soil health components soil structure and stability.

Major Nutrients - Compost is classified in Schedule II (CFIA Fertilizer Act & Regulations) as a supplement, and as such, nutrient guarantees are not mandatory. However, if any claims are made regarding nutritional value of the product, such as for composted manure, the product would then be classified as a supplement and a fertilizer, and label would have to include the guarantees for the major nutrients. The guarantees for the major nutrients include the minimum amounts of Total Nitrogen (N), Available Phosphoric Acid (P205) and Soluble Potash (K20).

Report Number: C21260-10445 Account Number: 98043

A & L Canada Laboratories Inc.

2136 Jetstream Road, London, Ontario, N5V 3P5 Telephone: (519) 457-2575 Fax: (519) 457-2664 C21260-10445



To: ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST SUITE 211 ESSEX, ON N8M 3G4

519-776-6370

. .

For: ROWT2-B-20

Reported Da Printed Da	te: te:Oct 1, 2021			COM	POST REP	ORT				Page: 1 / 1
Sample Number	Lab Number	рН	Lime Index		Available Organic Matter %	Phosphoru P ppm	us Potas K p		Magnesium Mg ppm	Calcium Ca ppm
ROWT2-B-20	87318	8.1	6.9		42.3	432	30	94	888	4106
Sulfur	Zinc	Manganese	Iron	Copper	Boron	Sodium	Nitrate-N	Soluble	Nitrogen	Chloride
S ppm	Zn ppm	Mn ppm	Fe ppm	Cu ppm	B ppm	Na ppm	NO3-N ppm	Salt ms/cm	(Total) (%)	ppm
49	19.4	33	203	1.6	2.4	91	22	1.8	1.56	2100
				I	NTERPRETATION	1				
CEC		Perc	ent Base Saturation		Prop	portional Equiva	lents (meq)		Cation Ratio	C/N Ratio
meq/100g	% BS	%K %	Mg % Ca	% Na	К	Mg	Са	Na	Mg/K Ca/Mg	
36.2	100.0	21.94 20	.19 56.77	1.09	7.93	7.30	20.53 0	.40	1:1 3:1	18:1
Optimum R	ange:	3-5 8-	- 20 60 - 80		0.5 - 1.3				7:1 5:1	

CQA

* Results reported on a dry weight basis.

The results of this report relate to the sample submitted and analyzed.

* Crop yield is influenced by a number of factors in addition to soil fertility. No guarantee or warranty concerning crop performance is made by A & L. **Results Authorized By:**

Ian McLachlin, Vice President

A&L Canada Laboratories Inc. is accredited by the Standards Council of Canada for specific tests as listed on www.scc.ca and by the Canadian Association for Laboratory Accreditation as listed on www.cala.ca

REPORT NUMBER: C21260-10445 ACCOUNT NUMBER: 98043 A & L Canada Laboratories Inc.

2136 Jetstream Rd, London, Ontario, N5V 3P5 Telephone: (519) 457-2575 Fax: (519) 457-2664



DATE RECEIVED: 2021-09-17

DATE REPORTED: 2021-10-01

PAGE: 1 / 1

REPORT OF ANALYSIS

TO: ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST SUITE 211 ESSEX, ON N8M 3G4

RE: ROWT2-B-20

CQA2100411

LAB NO.	SAMPLE ID	ANALYSIS	RESULT	UNIT	METHOD
87318	ROWT2-B-20	Nitrogen (Total)	1.6	%	TMECC.04.02-D



Results Authorized By:

REPORT NO. C21260-70004

ACCOUNT NUMBER 98043



2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664

FOR:ROW "T2-B-20"



1/3

TO:ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST SUITE 211

ESSEX, ON N8M 3G4

Phone:800-563-3377 Fax:519-776-6370

CERTIFICATE OF ANALYSIS

PROJECT NO:

PO#: LAB NUMBER:2607006 SAMPLE ID:ROW "T2-B-20"

SAMPLE MATRIX:COMPOST DATE SAMPLED:2021-09-16 DATE RECEIVED:2021-09-17 DATE REPORTED:2021-09-30 DATE PRINTED:2021-10-01

PAGE:

PARAMETER	Result	UNIT	DETECTIO LIMIT	N METHOD REFERENCE
Arsenic	1.88	ug/g	1.00	EPA 3050B/6010B(mod) *
Cadmium	BDL	ug/g	1.00	EPA 3050B/6010B(mod) *
Cobalt	1.19	ug/g	1.00	TMECC 4.06;EPA 3050/6010(mod)*
Chromium	4.60	ug/g	1.00	TMECC.04.06;EPA 3050/6010(mod*
Copper	20.17	ug/g	1.00	TMECC 4.06;EPA 3050/6010(mod)*
Mercury	BDL	ug/g	0.10	EPA 7471 *
Molybdenum	2.5	ug/g	1.0	TMECC.04.06;EPA 3050/6010(mod*
Nickel	6.90	ug/g	1.00	TMECC 4.06;EPA 3050/6010(mod)*
Lead	20.56	ug/g	1.00	EPA 3050B/6010B(mod) *
Selenium	BDL	ug/g	1.00	EPA 3050/6010 (mod) *
Zinc	97.95	ug/g	1.00	TMECC 4.06;EPA 3050/6010(mod)*

* - accredited test

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed.



Results Authorized By:

Haifeng Song, Ph.D., C.Chem. Lab Director

A&L Canada Laboratories Inc. is accredited by the Standards Council of Canada for specific tests as listed on www.scc.ca and by the Canadian Association for Laboratory Accreditation as listed on www.cala.ca Additional information available upon request This Certificate of Analysis has been prepared for use by the Recipient only. Possession of this Certificate of Analysis, does not carry with it the right to reproduction or publication in whole or in part.nor may it be used by anyone other than the Recipient without the prior written consent and approval of A & L Canada Laboratories Inc. ("A&L Canada"). Upon receipt of this Certificate of Analysis by the Recipient from A&L Canada, A&L Canada shall not be responsible for and no claims shall be advanced against A&L Canada are suit of the unauthorized reproduction, use or distribution of this Certificate of Analysis.

REPORT NO. C21260-70004

A & L Canada Laboratories Inc. 2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664 ACCOUNT NUMBER

98043

TO:ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST SUITE 211 ESSEX, ON N8M 3G4

Phone:800-563-3377 Fax:519-776-6370

CERTIFICATE OF ANALYSIS

UNIT

MPN/g dry

P-A/

25.0g(ml)

gOM/day

mgCO2-C/

PROJECT NO:

PARAMETER

Salmonella spp.

E. coli

PO#: LAB NUMBER:2607006 SAMPLE ID:ROW "T2-B-20"

SAMPLE MATRIX:COMPOST DATE SAMPLED:2021-09-16 DATE RECEIVED:2021-09-17 DATE REPORTED:2021-09-30 DATE PRINTED:2021-10-01

METHOD REFERENCE

TMECC 07.01

TMECC.05.08-B

MFLP-75 *

		20.0g(iiii)		
Total sharps > 2.8 mm*	0	pieces/500ml		TMECC 03.08
Total sharps > 12.5 mm	0	pieces/500ml		TMECC 03.08
Total FM > 2.8 mm*	0.01	%	0.01	TMECC 03.08
Total FM > 25 mm	1	pieces/500ml		TMECC 03.08
Total plastics > 2.8 mm*	0.01	%	0.01	TMECC 03.08
Total Organic Matter @ 550 deg C	52.17	%	0.10	LOI@550C
Moisture	27.18	%	0.10	TMECC.03.09-A
Sieve 2 Inch (% Passing)	100.00	%	0.10	ASTMD422
Sieve 1 Inch (% Passing)	100.00	%	0.10	ASTMD422
Sieve 1/2 Inch (% Passing)	99.20	%	0.10	ASTMD422
Sieve 3/8 Inch (% Passing)	94.90	%	0.01	ASTMD422
Sieve 1/4 Inch (% Passing)	85.60	%	0.10	ASTMD422
Compost Stability Index	7			TMECC.05.08-B
Respiration-mgCO2-C/g OM/day	3.00	mgCO2-C/	0.01	TMECC.05.08-B

gTS/day Maturity Index: 7 - Well matured, aged compost, cured; few limitations for usage.

1.50

* - accredited test

BDL - Below detectable levels

Respiration - mgCO2-C/g TS/day

The results of this report relate to the sample submitted and analyzed.



Results Authorized By:

Haifeng Song, Ph.D., C.Chem. Lab Director

PAGE:

2 / 3

FOR:ROW "T2-B-20"

DETECTION

LIMIT

3

1 CFU

0.01



Result

13

NEGATIVE

A&L Canada Laboratories Inc. is accredited by the Standards Council of Canada for specific tests as listed on www.scc.ca and by the Canadian Association for Laboratory Accreditation as listed on www.cala.ca Additional information available upon request This Certificate of Analysis has been prepared for use by the Recipient without the prior written consent and approval of A & L Canada Laboratories Inc. ("A&L Canada"). Upon receipt of this Certificate of Analysis by the Recipient from A&L Canada A&L Canada shall not be requested to a class shall be advanced against A&L Canada sa result of the unauthorized reproduction, use or distribution of this Certificate of Analysis.

REPORT NO. C21260-70004

ACCOUNT NUMBER

98043

TO:ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST SUITE 211 ESSEX, ON N8M 3G4

Phone:800-563-3377 Fax:519-776-6370

CERTIFICATE OF ANALYSIS

UNIT

%

Result

As Received

72.82

Result Dry

Weight

PROJECT NO:

Total Solids (as received)

PARAMETER

PO#: LAB NUMBER:2607006 SAMPLE ID:ROW "T2-B-20"

SAMPLE MATRIX:COMPOST DATE SAMPLED:2021-09-16 DATE RECEIVED:2021-09-17 DATE REPORTED:2021-09-30 DATE PRINTED:2021-10-01

METHOD REFERENCE

Gravimetric

C2126 0-70004	Haifeng Song, Ph.D., C.Chem. Lab Director					
&L Canada Laboratories Inc. is accredited by the Standards Council of Canada for specific tests as listed on www.scc.ca and by the Canadian Asso	ociation for Laboratory Accreditation as listed on www.cala.ca					
Additional information available upon request						
te of Analysis has been prepared for use by the Recipient only. Possession of this Certificate of Analysis, does not carry with it the right to reproduction or publication in whole or in part, nor may it be used by anyone oth	er than the Recipient without the prior written consent and approval of A & L Canada Laboratories					

This Certificate of Analysis has been prepared for use by the Recipient only. Possession of this Certificate of Analysis, does not carry with it the right to reproduction or publication in whole or in part, nor may it be used by anyone other than the Recipient without the prior written consent and a Inc. ("A&L Canada"). Upon receipt of this Certificate of Analysis by the Recipient from A&L Canada, A&L Canada shall not be responsible for and no claim shall be advanced against A&L Canada as a result of the unauthorized reproduction, use or distribution of this Certificate of Analysis.

* - accredited test

A&

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed.

Results Authorized By:

FOR:ROW "T2-B-20"

DETECTION

LIMIT

0.10

Nitrogen & Carbon						
Total Organic Carbon		28.98	%	0.10	Combustion	
Ammonia (NH3/NH4-N)	308.71	224.80	ug/g	.01	Colourimetric	
Metals						
Potassium	9265.00	6746.77	ug/g	5.00	TMECC.04.04*	
Total Potassium (as K20)	1.12	0.82	%	0.05	ICP	
Phosphorus	2761.50	2010.92	ug/g	5.00	TMECC.04.03 *	
Total Phosphorus (as P205)	0.63	0.46	%	0.05	ICP	
Aluminum	2568.50	1870.38	ug/g	5.00	TMECC.04.07 *	
Boron	17.39	12.66	ug/g	1.00	TMECC.04.05 *	
Calcium	4.14	3.01	%	0.01	TMECC.04.05*	
Iron	7720.00	5621.70	ug/g	5.00	TMECC.04.05 *	
Magnesium	0.83	0.60	%	0.01	TMECC.04.05 *	
Manganese	80.95	58.95	ug/g	1.00	TMECC.04.05 *	
Sodium	0.03	0.02	%	0.01	TMECC.04.05 *	
Sulphur	1721.50	1253.60	ug/g	5.00	TMECC.04.05 *	
Additional Parameters						
Bulk Density (as Recieved)		569	kg/m3	10	Gravimetric	



PAGE:

3 / 3

REPORT NO. C21294-70008

ACCOUNT NUMBER

A & L Canada Laboratories Inc. 2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664

FOR:ROW T2-B-20

Compost

Analysis

Proficiency

sting Program

1 / 1

98043

TO:ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST SUITE 211 ESSEX, ON N8M 3G4

Phone:800-563-3377 Fax:519-776-6370

CERTIFICATE OF ANALYSIS

PROJECT NO: PO#: LAB NUMBER:2947014 SAMPLE ID:ROW T2-B-20 SAMPLE MATRIX:COMPOST DATE SAMPLED:2021-10-13 DATE RECEIVED:2021-10-21 DATE REPORTED:2021-11-01 DATE PRINTED:2021-11-01

PAGE:

PARAMETER	RESULT	UNIT	DETECTION LIMIT	METHOD REFERENCE	
Total sharps > 2.8 mm*	BDL	pieces/500ml		TMECC 03.08	
Total sharps > 12.5 mm	BDL	pieces/500ml		TMECC 03.08	
Total FM > 2.8 mm*	BDL	%	0.01	TMECC 03.08	
Total FM > 25 mm	BDL	pieces/500ml		TMECC 03.08	
Total plastics > 2.8 mm*	BDL	%	0.01	TMECC 03.08	

Comment:

1.FM(Foreign matter) = glass,metal,plastic

2.Sharps = foreign matter pieces of a size or shape that can cause human or animal injury

3.8 mesh screen = 2.36 mm

4.*2.8mm screen is used since 3.0mm screen does not exist

Results reported on a dry weight basis * - accredited test BDL - Below detectable levels The results of this report relate to the sample submitted and analyzed.

Results Authorized By:

Haifeng Song, Ph.D., C.Chem. Lab Director

A&L Canada Laboratories Inc. is accredited by the Standards Council of Canada for specific tests as listed on www.scc.ca and by the Canadian Association for Laboratory Accreditation as listed on www.cala.ca Additional information available upon request This Crtificate of Analysis has been prepared for use by the Recipient only. Possession of this Certificate of Analysis, does not carry with it the right to reproduction or publication in whole or in part, our may it be used by anyone other than the Recipient without the prior written consent and approval of A & L Canada Laboratories Inc. (*A&L Canada"). Upon receipt of this Certificate of Analysis by the Recipient from A&L Canada shall not be responsible for and no calian shall be advanced against A&L Canada ars result of the unauthorized reproduction, use or distribution of this Certificate of Analysis.