

www.compost.org

SUMMARY OF ANALYSIS REPORT

То:	Essex-Windsor SWA 360 Fairview Ave West Essex, Ontario N8M 3G4	CQA Member#:	07-1200
Attention:		Sample I.D.:	ROW A-23
Report#:	C25010-10043 C25010-70003	Sample Date: Reported Date:	1/9/2025 1/17/2025

Compost Manufactured in:

Feedstock: Leaf & Yard Residues

Ontario

CQA COMPOST QUALITY & VALUE TESTING PARAMETERS REPORT

SAMPLE ID	RECOMMENDED END USE/MARKET
ROW A-23	CATEGORY AA
Regulatory	See Appendix I
Product Quality	See Appendix II
Product Value/ Soil	See Appendix III
Suitability*	(Soil, Enviro, Manure Compost)

The Compost Quality Alliance (CQA) is a voluntary quality monitoring program established by the Compost Council of Canada and the compost producers utilizing recognized standardized testing methodologies and uniform operating protocols to provide customer assurance in compost selection its use, and proper end-use utilization.

All analysis of this compost product was conducted and provided by A&L Canada Laboratories Inc. for the Compost Quality Alliance (CQA).

Haifeng Song, Senior Chemist



A&L Canada Laboratories Inc. London, Ontario Canada (519) 457-2575

*PLEASE NOTE: Major Nutrients under the Fertilizer Act and Regulations (CFIA)

Please see Appendix III for nutrient content (of impact to claims and labelling if used in declarations).

Compost is classified in Schedule II as a supplement, and as such nutrient guarantees are not mandatory. However, if any claims are made regarding nutritional value of the product, such as for composted manure, the product would then be classified as a supplement and a fertilizer, and the label would have to include the guarantees for the major nutrients. The guarantees for the major nutrients include the minimum amounts of Total Nitrogen (N), Available Phosphoric Acid (P205) and Soluble Potash K20. Source: T-4-120 - Regulation of Compost under the Fertilizers Act and Regulations. http://www.inspection.gc.ca/plants/fertilizers/trade-memoranda/t-4-120/eng/1307910204607/1307910352783

Ian McLachlin, Vice-President

A proud member of





Appendix I Ontario Compost Guidelines 2012 & CFIA Fertilizer Act & Regulations



A. Maximum Concentrations for Trace Metals in Compost - Ontario+

		Category AA	Category A	Category B		
Trace Elements	Test Results	Maximum Concentration within Product				
	(ug/g)		(mg/kg dry weight)		
Arsenic (As)	5.93	13	13	75		
Cadmium (Cd)	BDL	3	3	20		
Chromium (Cr)	21.20	210	210	1060		
Cobalt (Co)	4.05	34	34	150		
Copper (Cu)	49.05	100	400	760		
Lead (Pb)	13.91	150	150	500		
Mercury (Hg)	BDL	0.8	0.8	5		
Molybdenum (Mo)	3.80	5	5	20		
Nickel (Ni)	10.56	62	62	180		
Selenium (Se)	1.49	2	2	14		
Zinc (Zn)	109.96	500	700	1850		

B. Foreign Matter in Compost - Ontario+

	Test Results	Category AA	Category A	Category B	
Foreign Matter		Contains < 1% FM greater than 3mm and 0.5% plastics. Shall		Containa < 2% EM graatar	
Percent (%) FM > 3mm/500mL	BDL			Contains < 2% FM greater than 3mm and 0.5% plastic.	
Percent (%) Plastics > 3mm/500mL			-	No FM > 25 mm/ 500 mL	
Pieces 25mm/500mL	0.00	25mm/500mL			
Sharp Foreign Matter		No sharp matter that can cause human or animal injury		No more than 3 pieces of	
Pieces > 3mm/500mL	0.00			sharp matter no greater than	
Pieces > 12.5mm/500mL	0.00			12.5mm/500mL	

C. Maturity/Stability - Ontario+

Method	Test Results	Required Limits			
CO2 Respiration Rate	2.00 \leq 4 mg of carbon in the form of carbon dioxide per grad				
(mg CO2/g O.M./day)	2.00	of organic matter per day			
02 Uptake Respiration Rate		\leq 400 mg oxygen/kg of volatile solids (or organic			
(mg 02/kg 0.M./hr)		matter)/hour			

D. Pathogens - Ontario+

Pathogen	Test Results	Required Limits
E. coli (MPN/g dry)	6	<1000 MPN/g total solids calculated on a dry weight basis
Salmonella (P-A/25g(ml))	NEGATIVE	<3 MPN/4g total solids calculated on a dry weight basis

The following references are from the Ontario Compost Quality Standards Guidelines July 2012

*BDL = Below Detectable Limits

E. CFIA - Ontario

Parameter	Test Results
Total Organic Matter (%)	57.34%
Moisture (%)	37.38%



Appendix II



Parameter	Test Results
рН	8.3
Carbon to Nitrogen Ratio	15:1
Particle Size/Texture (inch)+	1/4
Soluble Salts (ms/cm)	5.2
Sodium Base Saturation (%Na)	1.92%
Major Nutrients	
Available Potassium (%K)	31.68%
Available Magnesium (%Mg)	23.82%
Available Calcium (%Ca)	42.58%

+ Majority of sample passes through this sieve size

Category AA and A - Compost that can be used in any application, such as agricultural lands, residential gardens, horticultural operations, the nursery industry, and other businesses.

Category B - Compost that has a restricted use because of the presence of sharp foreign matter or higher trace element content. Category B compost may require additional control when deemed necessary by a province or territory.

The Compost Directions-for-Use must reflect application rates that adhere to the CFIA long-term element loading limits. Please use the CFIA compost loading rate calculator with trace elements details procided in this report to calculate and meet appropriate application rates: Labelling as appropriate. If you have questions, please contact Susan at santhler@compost.org or 416 670 0510

Use	рН	C:N	Moisture	Particle Size	Soluble Salts	%Na
Remediation	5.8-8.5	10-40	NA	<2 in	<20	<3%
Soil Amendment	5.8-8.5	10-30	NA	<1/2 in	<6	<2%
Landscaping	5.8-8.5	12-22	<50%	<1/2 in	<5	<2%
Planting Media	5.5-7.8	12-22	<50%	<1/2 in	<4	<2%
Turf Establishment & Topdressing	5.5-7.8	12-22	<50%	<3/8 in	<3	<1%
Greenhouse Seeding	6-7	12-22	<25%	<1/4 in	<2	<0.5%
Greenhouse Establishement	6-7	12-22	<30%	<1/2 in	2-3.5	<0.5%
Field Nursery	5.8-8	10-30	<50%	<1/2 in	<3.5	<1%
Agricultural Soil Amendments	6-8	10-30	<50%	<1/2 in	<20	n/a
Potting Soil	5.5-7.2	12-22	<50%	<1/4 in	<2	<1%

Reference Compost Quality Parameters for CQA

The Compost Quality Assurance program goes beyond the provincial requirements to establish full value and appropriate end-use. The Compost Report and Compost End-use table in Appendix II, has 10 different compost application uses from soil remediation, through to potting soil blends. Of note are available soluble salt limits and the percent available sodium for sensitive plants. Appendix III, lists the primary agricultural use parameters and quantitative nutrient content that reflects this compost samples agricultural end-use, and application value. This value includes macro and micro nutrients, soil building properties such as the addition of organic matter, increasing moisture holding capacity, and the soils slow release nutrients. These parameters improve beneficial

Note: For a compost to meet the unrestricted use category, it must meet the unrestricted (Category A) requirements for all trace elements and sharp foreign matter. If the compost fails one criterion of the guideline for unrestricted use but meets the criteria for restricted (Category B) use, then is is classified as a Category B product. Products that do not meet the criteria for either Category A or B must be used or disposed of appropriately.



Appendix III Compost Agricultural Product Value as is basis



Agricultural End-Use	Analysis Result	Unit	Quantity in Ibs/T				
Physical Parameters							
Dry Matter	62.62% %						
рН	8.3						
Bulk Density	495	kg/m3					
C:N Ratio	15:1						
	<u>Fertilizer Equivalent Mi</u>	inerals					
Nitrogen Total	2.23%	%	44.6				
Ammonium Nitrogen	129.48	ppm	0.26				
Total Phosphate (P as P205)	0.44%	%	8.8				
Total Potash (K as K2O)	1.06%	%	21.2				
Calcium	2.22%	%	44.4				
Magnesium	0.43%	%	8.6				
Sulfur	1338.88	ppm	2.7				
Agricultural Index							
Ag Index	20.28		Can be used on all soils				

Salt injury	Limit use to soils with excellent drainage				Can be use	Can be used on soils with poor drainage or			Can be used
probable	and low salt content					high salt content			on all soils
1	2	3	4	5	6	7	8	9	>10

Figure 1. Adapted from TMECC 05.02-F1 AgIndex interpretation and use guidelines for common edaphic conditions. Where 10 is a compost material with low potential for salt injury and 1 materials require dilution to prevent salt injury

The results of our testing on this sample indicates that this product is a fine textured, compost (89%+ 1/4 in.), with rich mineral properties, which would meet criteria for agricultural soil amendment, blending and topdressing end-uses purposes. The C:N ratio 15:1 from Appendix II, on the soil suitability report indicates a low C:N ratio and indicating good nitrogen availability. The low C:N ratio in conjunction with the higher total nitrogen content listed in Appendix III indicates early high available nitrogen levels, and should be considered for crop planning.

The proportion of available sodium (1.92% Na), which if used in too heavy a proportion could cause some problems with sensitive species. The sodium levels of this compost sample though high, is suitable for agricultural broadcast field applications and are made to improve the organic matter level and major nutrients phosphorus, potassium and magnesium levels. The compost is also rich in available calcium, sulfur, and zinc, which make it ideal for soil enriching, and amendment. We recommend blending this material at a minimum of 2-3 parts soil blended to each part of this compost to dilute the sodium conentration.

Major Nutrients - Compost is classified in Schedule II (CFIA Fertilizer Act & Regulations) as a supplement, and as such, nutrient guarantees are not mandatory. However, if any claims are made regarding nutritional value of the product, such as for composted manure, the product would then be classified as a supplement and a fertilizer, and label would have to include the guarantees for the major nutrients. The guarantees for the major nutrients include the minimum amounts of Total Nitrogen (N), Available Phosphoric Acid (P205) and Soluble Potash (K20).

A & L Canada Laboratories Inc.

2136 Jetstream Road, London, Ontario, N5V 3P5 Telephone: (519) 457-2575 Fax: (519) 457-2664





To: ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST SUITE 211 ESSEX, ON N8M 3G4

519-776-6370

Reported Date:2025-01-17

For: ROW A-23

	e:Jan 21, 2025				IPOST REP	ORT				Page: 1 / 1
Sample Number	Lab Number	рН	Lime Index		Available Organic Matter %	Phosphorus P ppm	Potassi K ppn		Magnesium Mg ppm	Calcium Ca ppm
ROW A-23	111155	8.3	6.9		48.7	769	1094	2	2566	7542
Sulfur S ppm	Zinc Zn ppm	Manganese Mn ppm	Iron Fe ppm	Copper Cu ppm	Boron B ppm	Sodium Na ppm	Nitrate-N NO3-N ppm	Soluble Salt ms/cm	Nitrogen (Total) (%)	Chloride ppm
129	31.8	43	195	2.4	9.9	392	44	5.2	2.23	1404
					INTERPRETATION					
CEC		Perce	ent Base Saturatio	วท	Prop	ortional Equivale	ents (meq)		Cation Ratio	C/N Ratio

Κ

7.71

% Mg

% Ca

% Na

CQA

meq/100g

* Results reported on a dry weight basis.

% BS

The results of this report relate to the sample submitted and analyzed. All results are released based on acceptable QC data.

* Crop yield is influenced by a number of factors in addition to soil fertility.

% K

No guarantee or warranty concerning crop performance is made by A & L.

Results Authorized By:

Mg

Са

Na

1.70

Mg/K

1:1

7:1

Beth Wood, Agronomist

Ca/Mg

2:1

5:1

15:1

A&L Canada Laboratories Inc. is accredited by the Standards Council of Canada for specific tests as listed on www.scc.ca and by the Canadian Association for Laboratory Accreditation as listed on www.cala.ca

REPORT NUMBER: C25010-10043 ACCOUNT NUMBER: 98043 A & L Canada Laboratories Inc.

2136 Jetstream Rd, London, Ontario, N5V 3P5 Telephone: (519) 457-2575 Fax: (519) 457-2664



DATE RECEIVED: 2025-01-10

DATE REPORTED: 2025-01-21

PAGE: 1 / 1

REPORT OF ANALYSIS

TO: ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST SUITE 211 ESSEX, ON N8M 3G4

RE: ROW A-23

C25010-70003

LAB NO.	SAMPLE ID	ANALYSIS	RESULT	UNIT	METHOD
111155	ROW A-23	Nitrogen (Total)	2.2	%	TMECC.04.02-D



Results Authorized By:

REPORT NO. C25010-70003

ACCOUNT NUMBER 98043



2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664

FOR:ROW A-23



TO:ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST SUITE 211 ESSEX, ON N8M 3G4

Phone:800-563-3377 Fax:519-776-6370

CERTIFICATE OF ANALYSIS

PROJECT NO:

PO#: LAB NUMBER:107009 SAMPLE ID:ROW A-23

1/3 PAGE:

SAMPLE MATRIX:COMPOST DATE SAMPLED:2025-01-09 DATE RECEIVED:2025-01-10 DATE REPORTED:2025-01-16 DATE PRINTED:2025-01-21

PARAMETER	Result	UNIT	DETECTIO LIMIT	N METHOD REFERENCE
Arsenic	5.93	ug/g	1.00	EPA 3050B/6010B(mod) *
Cadmium	BDL	ug/g	1.00	EPA 3050B/6010B(mod) *
Cobalt	4.05	ug/g	1.00	TMECC 4.06;EPA 3050/6010(mod)*
Chromium	21.20	ug/g	1.00	TMECC.04.06;EPA 3050/6010(mod*
Copper	49.05	ug/g	1.00	TMECC 4.06;EPA 3050/6010(mod)*
Mercury	BDL	ug/g	0.10	EPA 7471 *
Molybdenum	3.8	ug/g	1.0	TMECC.04.06;EPA 3050/6010(mod*
Nickel	10.56	ug/g	1.00	TMECC 4.06;EPA 3050/6010(mod)*
Lead	13.91	ug/g	1.00	EPA 3050B/6010B(mod) *
Selenium	1.49	ug/g	1.00	EPA 3050/6010 (mod) *
Zinc	109.96	ug/g	1.00	TMECC 4.06;EPA 3050/6010(mod)*

* - accredited test

BDL - Below detectable levels



The results of this report relate to the sample submitted and analyzed. All results are released based on acceptable QC data. **Results Authorized By:**

Haifeng Song, Ph.D., C.Chem. Lab Director A&L Canada Laboratories Inc. is accredited by the Standards Council of Canada for specific tests as listed on www.scc.ca and by the Canadian Association for Laboratory Accreditation as listed on www.cala.ca

Additional information available upon request This Certificate of Analysis has been prepared for use by the Recipient without the prior written consent and approval of A & L Canada Laboratories Inc. ("A&L Canada"). Upon receipt of this Certificate of Analysis by the Recipient from A&L Canada A&L Canada shall not be requested to a class shall be advanced against A&L Canada sa result of the unauthorized reproduction, use or distribution of this Certificate of Analysis.

REPORT NO. C25010-70003

A & L Canada Laboratories Inc. 2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664

FOR:ROW A-23

2 / 3

ACCOUNT NUMBER 98043

> TO:ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST SUITE 211 ESSEX, ON N8M 3G4

Phone:800-563-3377 Fax:519-776-6370

CERTIFICATE OF ANALYSIS

PROJECT NO:

PO#: LAB NUMBER:107009 SAMPLE ID:ROW A-23 SAMPLE MATRIX:COMPOST DATE SAMPLED:2025-01-09 DATE RECEIVED:2025-01-10 DATE REPORTED:2025-01-16 DATE PRINTED:2025-01-21

PAGE:

PARAMETER	Result	UNIT ^L		METHOD REFERENCE
E. coli	6	MPN/g dry	3	TMECC 07.01
Salmonella spp.	NEGATIVE	P-A/	1 CFU	MFLP-75 *
		25.0g(ml)		
Total sharps > 2.8 mm*	0	pieces/500ml		TMECC 03.08
Total sharps > 12.5 mm	0	pieces/500ml		TMECC 03.08
Total FM > 2.8 mm*	BDL	%	0.01	TMECC 03.08
Total FM > 25 mm	0	pieces/500ml		TMECC 03.08
Total plastics > 2.8 mm*	BDL	%	0.01	TMECC 03.08
Total Organic Matter @ 550 deg C	57.34	%	0.10	LOI@550C
Moisture	37.38	%	0.10	TMECC.03.09-A
Sieve 2 Inch (% Passing)	100.00	%	0.10	ASTMD422
Sieve 1 Inch (% Passing)	100.00	%	0.10	ASTMD422
Sieve 1/2 Inch (% Passing)	97.00	%	0.10	ASTMD422
Sieve 3/8 Inch (% Passing)	94.70	%	0.10	ASTMD422
Sieve 1/4 Inch (% Passing)	88.90	%	0.10	ASTMD422
Compost Stability Index	7			TMECC.05.08-B
Respiration-mgCO2-C/g OM/day	2.00	mgCO2-C/ gOM/day	0.01	TMECC.05.08-B
Respiration - mgCO2-C/g TS/day	1.20	mgCO2-C/ gTS/day	0.01	TMECC.05.08-B

Maturity Index: 7 - Well matured, aged compost, cured; few limitations for usage.

* - accredited test

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed. All results are released based on acceptable QC data.

C25010-70003

Results Authorized By:

DETECTION

Haifeng Song, Ph.D., C.Chem. Lab Director

A&L Canada Laboratories Inc. is accredited by the Standards Council of Canada for specific tests as listed on www.scc.cc and by the Canadian Association for Laboratory Accreditation as listed on www.cala.ca Additional information available upon request This Crtificate of Analysis has been prepared for use by the Recipient only. Possession of this Crtificate of Analysis, does not carry with it the right to reproduction or publication in whole or in part, or may it is used by anyone other than the Recipient without the prior written consent and approval of A & L Canada Laboratories Inc. (*A&L Canada*). Upon receipt of this Crtificate of Analysis by the Recipient from A&L Canada shall not be recognished for and no chain shall be advanced against A&L Canada as result of the unauthorized reproduction, use or distribution of this Crtificate of Analysis.

REPORT NO. C25010-70003

A & L Canada Laboratories Inc. 2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664

FOR:ROW A-23

UNIT

DETECTION

3 / 3

ACCOUNT NUMBER 98043

> **TO:**ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST SUITE 211 ESSEX, ON N8M 3G4

Phone:800-563-3377 Fax:519-776-6370

CERTIFICATE OF ANALYSIS

Result

Result Dry

PROJECT NO:

PARAMETER

PO#: LAB NUMBER:107009 SAMPLE ID:ROW A-23

SAMPLE MATRIX:COMPOST DATE SAMPLED:2025-01-09 DATE RECEIVED:2025-01-10 DATE REPORTED:2025-01-16 DATE PRINTED:2025-01-21

METHOD REFERENCE

PAGE:

62.62	%	0.10	
02.02	/0		Gravimetric
		0.10	Gravilletic
31.86	%	0.10	Combustion
129.48	ug/g	.01	Colourimetric
8859.72	ug/g	5.00	TMECC.04.04*
1.06	%	0.05	ICP
1921.17	ug/g	5.00	TMECC.04.03 *
0.44	%	0.05	ICP
1886.61	ug/g	5.00	TMECC.04.07 *
16.95	ug/g	1.00	TMECC.04.05 *
2.22	%	0.01	TMECC.04.05*
10379.28	ug/g	5.00	TMECC.04.05 *
0.43	%	0.01	TMECC.04.05 *
114.01	ug/g	1.00	TMECC.04.05 *
0.04	%	0.01	TMECC.04.05 *
1338.90	ug/g	5.00	TMECC.04.05 *
495	kg/m3	10	Gravimetric
	495	495 kg/m3	495 kg/m3 10

* - accredited test

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed. All results are released based on acceptable QC data.

C25010-70003

Results Authorized By:

Haifeng Song, Ph.D., C.Chem. Lab Director

A&L Canada Laboratories Inc. is accredited by the Standards Council of Canada for specific tests as listed on www.sce.ca and by the Canadian Association for Laboratory Accreditation as listed on www.cala.ca Additional information available upon request This Certificate of Analysis has been prepared for use by the Recipient without the prior written consent and approval of A & L Canada Laboratories Inc. ("A&L Canada"). Upon receipt of this Certificate of Analysis by the Recipient from A&L Canada A&L Canada shall not be requested to a class shall be advanced against A&L Canada sa result of the unauthorized reproduction, use or distribution of this Certificate of Analysis.